FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UM-06669

Serial No.: 10/002,802

INFORMATION

ANSCLOSURE SENTEMENT BY APPLICANT (Consequent Specific Processory)

Applicant: Michael D. Uhler

37 CFR § 1.	98 (b))	TRACE.	in Necessary)		Filing Date: 11/02/2	001	Group Art Un	it: 16	36
				U.S. PATENT DOC	UMENTS				
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentec		Class	Subclass	Filin	g Date
QN_	1	4,683,195	07/28/87	Mu	llis <i>et al</i> .	435	6	02/	07/86
	2	4,683,202	07/28/87	Mu	llis <i>et al</i> .	435	91	10/	25/85
	3	4,965,188	10/23/90	Mu	llis <i>et al</i> .	435	6	06/	17/87
	4	5,352,605	10/04/94	Fra	ey et al.	435	240.4	10/	28/93
	5	5,584,807	12/17/96	M	lcCabe	604	71	01/	20/95
	6	5,618,682	04/08/97	S	cheirer	435	8	02/08/94	
	7	5,674,713	10/17/97	McE	lroy et al.	435	69.7	06/	02/95
	8	5,976,796	11/02/99	Sza	ay et al.	435	6	12/	23/96
	9	6,074,859	09/13/00	Hirok	awa et al.	435	189	07/08/98	
	10	5,837,533	11/17/98	E	Boutin	435	320.1	07/	28/94
	11	5,654,185	08/05/97	P	alsson	435	235.1	06/	07/97
_	12	5,804,431	07/08/98	P	alsson	435	235.1		13/97
	1 13	5,811,274	09/22/98	P	alsson	435	172.2		09/94
	, 14	5,965,352	10/12/99	Sto	ughton	435	172.1		09/94
	15	5,998,136	12/7/99		Camb	435	6		19/96
	16	6,060,240	5/9/00	Kan	nb et al.	435	6		13/96
	17 .	10/002,802			er et al.				
21/	18	10/123,435		Uhi	cr et al.				
•• ,					•				
		FC	PREIGN PATENTS (R PUBLISHED FOR	EIGN PATENT APPL	ICATIONS			
		Document Number	Publication Date	Country /	Patent Office	Class	Subclass	Trans Yes	slation
NE	19	WO 95/14098	5/26/95		РСТ				
	20	WO 01/20015	3/22/01		PCT		<u> </u>		
	21	WO 99/51773	10/14/99		PCT				T
	22	WO 00/05339	02/02/00		PCT			/	
	23	0900849	3/10/99		EP				
	24	WO 98/53103	11/26/98		PCT		7	-	
	25	WO 99/55886	11/04/99		PCT	1 /			
NE	∖ 26	WO 99/58664	11/18/99	·	PCT				
miner:	1	~ N_	~~~			6/2/10	716		<u>. </u>
xaminer: XAMINER:	Initi with	ial citation considered in next communication	Draw line through to applicant.	citation if not in confo	Date Considered:	6/2/10 ered. Include copy		= \ /r	_

FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UM-06669

Serial No.: 10/002,802

INFORMATION TEMENT BY APPLICANT If Necessary)

Applicant: Michael D. Uhler

1636 Filing Date: 11/02/2001 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Amundson, et al., Fluorescent cDNA microarray hybridization reveals complexity and heterogeneity of cellular genotoxic stress responses, ()N)27 Oncogene, 18(24):3666 (1999) Bally, et al., Biological barriers to cellular delivery of lipid-based DNA carriers, Adv Drug Deliv Rev, 38(3):291 (1999); 28 Baron, et al., Generation of conditional mutants in higher eukaryotes by switching between the expression of two genes, Proc Natl Acad Sci 29 USA, 96(3):1013 (1999); 30 Bittner, et al., Data analysis and integration: of steps and arrows, Nat Genet, 22(3):213 (1999); 31 Boynton and AL, Control of 3T3 cell proliferation by calcium, In Vitro, 10(12 (1974); 32 Brown and Botstein, Exploring the new world of the genome with DNA microarrays, Nat Genet, 21(1 Suppl):33 (1999); Brown, et al., Induction of alkaline phosphatase in mouse L cells by overexpression of the catalytic subunit of cAMP-dependent protein 33 kinase, J Biol Chem, 265(22):13181 (1990); 34 Brunner, et al., Cell cycle dependence of gene transfer by lipoplex, polyplex and recombinant adenovirus, Gene Ther, 7(5):401 (2000); Cheng, Receptor ligand-facilitated gene transfer: enhancement of liposome-mediated gene transfer and expression by transferrin, Hum Gene 35 Ther, 7(3):275 (1996); 36 Duggan, et al., Expression profiling using cDNA microarrays, Nat Genet, 21(1 Suppl):10 (1999); 37 Gill and Sanseau, Rapid in silico cloning of genes using expressed sequence tags (ESTs), Biotechnol Annu Rev, 5(25 (2000); 38 Graves, Powerful tools for genetic analysis come of age, Trends Biotechnol, 17(3):127 (1999) Huang, et al., Identification and temporal expression pattern of genes modulated during irreversible growth arrest and terminal differentiation 30 in human melanoma cells, Oncogene, 18(23):3546 (1999) 40 lyer, et al., The transcriptional program in the response of human fibroblasts to serum, Science, 283(5398):83 (1999); Mann, et al., Pressure-mediated oligonucleotide transfection of rat and human cardiovascular tissues, Proc Natl Acad Sci U S A, 96(11):6411 41 (1999);42 Mortimer, et al., Cationic lipid-mediated transfection of cells in culture requires mitotic activity, Gene Ther, 6(3):403 (1999); 432 Neumann, et al., Fundamentals of electroporative delivery of drugs and genes, Bioelectrochem Bioenerg, 48(1):3 (1999); Ross, et al., Enhanced reporter gene expression in cells transfected in the presence of DMI-2, an acid nuclease inhibitor, Gene Ther, 44 5(9):1244 (1998); 45 Schena, et al., Quantitative monitoring of gene expression patterns with a complementary DNA microarray, Science, 270(5235):467 (1995); 46 Tseng, et al., Mitosis enhances transgene expression of plasmid delivered by cationic liposomes, Biochim Biophys Acta, 1445(1):53 (1999); Wagner, et al., DNA-binding transferrin conjugates as functional gene-delivery agents: synthesis by linkage of polylysine or ethidium 47 homodimer to the transferrin carbohydrate moiety, Bioconjug Chem, 2(4):226 (1991); Watson and Akil, Gene chips and arrays revealed: a primer on their power and their uses, Biol Psychiatry, 45(5):533 (1999); 48 Young, Biomedical discovery with DNA arrays, Cell, 102(1):9 (2000) 49 Zenke, et al., Receptor-mediated endocytosis of transferrin-polycation conjugates: an efficient way to introduce DNA into hematopoietic cells, Proc Natl Acad Sci U S A, 87(10):3655 (1990); 50

Examiner:	_ کگر_	Non
		

51

52

53

2ND4 Date Considered:

Zhu, et al., Cellular gene expression altered by human cytomegalovirus: global monitoring with oligonucleotide arrays, Proc Natl Acad Sci U S A, 95(24):14470 (1998)

Antonyak, et al., Constitutive activation of c-Jun N-terminal kinase by a mutant epidermal growth factor receptor, J Biol Chem, 273(5):2817

Barila, et al., A nuclear tyrosine phosphorylation circuit: c-Jun as an activator and substrate of c-Abl and JNK, Embo J, 19(2):273 (2000);

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant,

FORM PTO-1449 (Modified)

INFORMATION DISCAOSURE STATEMENT BY APPLICANT (Use Statement Necessary)

with next communication to applicant.

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UM-06669

Serial No.: 10/002,802

Applicant: Michael D. Uhler

		(Use Social Three Necessary)				
37 CFR § 1.9	98(b))	(Osc see a market and a market	Filing Date: 11/02/2001	Group Art Unit: 1636		
		OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)			
QN	54	Collins and Uhler, Cyclic AMP- and cyclic GMP-dependent prelement-dependent gene transcription, J Biol Chem, 274(13):83	rotein kinases differ in their regulation of c 391 (1999);	yclic AMP response		
	55	Frodin, et al., A phosphoserine-regulated docking site in the pi (2000);	rotein kinase RSK2 that recruits and activa	tes PDK1, Embo J, 19(12):2924		
	56	Frost, et al., Cross-cascade activation of ERKs and ternary complex factors by Rho family proteins, Embo J, 16(21):6426 (1997);				
	57	Fuchs, et al., MEKK1/JNK signaling stabilizes and activates p53, Proc Natl Acad Sci U S A, 95(18):10541 (1998);				
	58	Gryz and Meakin, Acidic substitution of the activation loop tynneuronal differentiation, Oncogene, 19(3):417 (2000);	substitution of the activation loop tyrosines in TrkA supports nerve growth factor-independent cell survival and Oncogene, 19(3):417 (2000);			
	5 9	Guan, et al., Interleukin-Ibeta-induced cyclooxygenase-2 expression requires activation of both c-Jun NH2-terminal kinase and p38 MAPK signal pathways in rat renal mesangial cells, J Biol Chem, 273(44):28670 (1998);				
	60	Hansra, et al., Multisite dephosphorylation and desensitization	of conventional protein kinase C isotypes,	Biochem J, 342 (Pt 2)(337 (199		
	61	Huggenvik, et al., Regulation of the human enkephalin promot 3',5'-monophosphate-dependent protein kinase, Mol Endocrino	ter by two isoforms of the catalytic subunit ol, 5(7):921 (1991);	of cyclic adenosine		
	62	Iglesias and Rozengurt, Protein kinase D activation by deletion	of its cysteine-rich motifs, FEBS Lett, 45	4(1-2):53 (1999);		
	63	Kawai, et al., Mouse smad8 phosphorylation downstream of B and transcriptional activity, Biochem Biophys Res Commun, 2	MP receptors ALK-2, ALK-3, and ALK-6 71(3):682 (2000);	induces its association with Sma		
•	64	Kohn, et al., Expression of a constitutively active Akt Ser/Thr 4 translocation, J Biol Chem, 271(49):31372 (1996);	kinase in 3T3-L1 adipocytes stimulates glu	ucose uptake and glucose transpo		
-	65	Komeima, et al., Inhibition of neuronal nitric-oxide synthase by calcium/ calmodulin-dependent protein kinase Ilalpha through Ser847 phosphorylation in NG108-15 neuronal cells, J Biol Chem, 275(36):28139 (2000);				
	66	Kuno-Murata, et al., Augmentation of thyroid hormone receptor IV, Endocrinology, 141(6):2275 (2000);	or-mediated transcription by Ca2+/calmodu	lin-dependent protein kinase type		
	67	Leevers, et al., Requirement for Ras in Raf activation is overcome by targeting Raf to the plasma membrane, Nature, 369(6479):411 (1994)				
	68	Ling, et al., NF-kappaB-inducing kinase activates IKK-alpha b	y phosphorylation of Ser-176, Proc Natl A	cad Sci U S A, 95(7):3792 (199		
	69	Novak, et al., Cell adhesion and the integrin-linked kinase regu A, 95(8):4374 (1998);	ulate the LEF-1 and beta-catenin signaling	pathways, Proc Natl Acad Sci U		
	70	Ohteki, et al., Negative regulation of T cell proliferation and in 192(1):99 (2000);	nterleukin 2 production by the serine threor	nine kinase GSK-3, J Exp Med,		
	71	Raingeaud, et al., MKK3- and MKK6-regulated gene expression pathway, Mol Cell Biol, 16(3):1247 (1996);	on is mediated by the p38 mitogen-activate	d protein kinase signal transduct		
	72	Robinson, et al., A constitutively active and nuclear form of th transformation, Curr Biol, 8(21):1141 (1998);	e MAP kinase ERK2 is sufficient for neuri	te outgrowth and cell		
	73	Takeda, et al., Apoptosis signal-regulating kinase 1 (ASK1) inc 275(13):9805 (2000);	duces neuronal differentiation and survival	of PC12 cells, J Biol Chem,		
	74	Wang, et al., Activation of the hematopoietic progenitor kinase by transforming growth factor beta (TGF-beta)-activated kinase 272(36):22771 (1997);				
	75	Zang, et al., Association between v-Src and protein kinase C d	elta in v-Src-transformed fibroblasts, J Bio	Chem, 272(20):13275 (1997)		
(ng	· 76	Zimmermann, et al., PrKX is a novel catalytic subunit of the c Biol Chem, 274(9):5370 (1999).	AMP-dependent protein kinase regulated b	y the regulatory subunit type I, J		
caminer:		()	Date Considered: 6 21	04		

FORM PTO-1449 (Modified) INFORMATION DISCLOSURA (37 CFR § 1.98(b))

EXAMINER:

U.S. Department of Commerce Patent and Trademark Office

TATEMENT BY APPLICANT

ets If Necessary)

Attorney Docket No.: UM-06669

Serial No.: 10/002,802

Applicant: Michael D. Uhler

Filing Date: 11/02/2001

Group Art Unit:

		OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)
QN	77	Abravaya, et al., Heat shock-induced interactions of heat shock transcription factor and the human hsp70 promoter examined by in vivo footprinting, Mol Cell Biol, 11(1):586 (1991);
	78	Altmann, et al., Transcriptional activation by CTF proteins is mediated by a bipartite low-proline domain, Proc Natl Acad Sci U S A, 91(9):3901 (1994);
	79	Benbrook and Jones, Different binding specificities and transactivation of variant CRE's by CREB complexes, Nucleic Acids Res, 22(8):1463 (1994);
	80	Blackwell, et al., Sequence-specific DNA binding by the c-Myc protein, Science, 250(4984):1149 (1990)
	81	Boccaccio, et al., Induction of epithelial tubules by growth factor HGF depends on the STAT pathway, Nature, 391(6664):285 (1998);
	82	Cao, et al., Identification and characterization of the Egr-1 gene product, a DNA-binding zinc finger protein induced by differentiation and growth signals, Mol Cell Biol, 10(5):1931 (1990);
	83	Fisch, et al., An AP1-binding site in the c-fos gene can mediate induction by epidermal growth factor and 12-O-tetradecanoyl phorbol-13-acetate, Mol Cell Biol, 9(3):1327 (1989);
	84	Hale and Braithwaite, Identification of an upstream region of the mouse p53 promoter critical for transcriptional expression, Nucleic Acids Res, 23(4):663 (1995);
	85	Hariharan, et al., Delta, a transcription factor that binds to downstream elements in several polymerase II promoters, is a functionally versatile zinc finger protein, Proc Natl Acad Sci U S A, 88(21):9799 (1991)
	86	Hiscott, et al., Triggering the interferon response: the role of IRF-3 transcription factor, J Interferon Cytokine Res, 19(1):1 (1999);
	87	Kamps, et al., A new homeobox gene contributes the DNA binding domain of the t(1;19) translocation protein in pre-B ALL, Cell, 60(4):547 (1990);
	88	Lam, et al., Cell-cycle regulation of human B-myb transcription, Gene, 160(2):277 (1995);
	89	Lembecher, et al., Distinct NF-kappa B/Rel transcription factors are responsible for tissue-specific and inducible gene activation, Nature, 365(6448):767 (1993);
	90	Northrop, et al., Characterization of the nuclear and cytoplasmic components of the lymphoid-specific nuclear factor of activated T cells (NF-AT) complex, J Biol Chem, 268(4):2917 (1993);
	91	Oh and Im, The p53 mutation which abrogates trans-activation while maintaining its growth-suppression activity, Mol Cells, 10(4):386 (2000);
	92	Pani, et al., The restricted promoter activity of the liver transcription factor hepatocyte nuclear factor 3 beta involves a cell-specific factor and positive autoactivation, Mol Cell Biol, 12(2):552 (1992)
	93	Robbins, et al., Negative regulation of human c-fos expression by the retinoblastoma gene product, Nature, 346(6285):668 (1990);
	94	Treisman, The SRE: a growth factor responsive transcriptional regulator, Semin Cancer Biol, 1(1):47 (1990);
	95	Uchijima, et al., Tax proteins of human T-cell leukemia virus type 1 and 2 induce expression of the gene encoding erythroid-potentiating activity (tissue inhibitor of metalloproteinases-1, TIMP-1), J Biol Chem, 269(21):14946 (1994);
	96	Vinson, et al., Dimerization specificity of the leucine zipper-containing bZIP motif on DNA binding: prediction and rational design, Genes Dev, 7(6):1047 (1993).
	97	Ziauddin, J and Sabatini, DM (2001) Microarrays of cells expressing defined cDNAs. Nature 411: 107-110.
	98	Wagner, et al. (1992) Influenza virus hemagglutinin HA-2 N-terminal fusogenic peptides augment gene transfer by transferrin-polylysine-DNA complexes: toward a synthetic virus-like gene-transfer vehicle, Proc Natl Acad Sci U S A, 89(17):7934
QN	99	Wagner, et al. (1990) Transforrin-polycation conjugates as carriers for DNA uptake into cells, Proc Natl Acad Sci. U.S. A, 87(9):3410.
Examiner:		Date Considered: 6/21/04

Initial citation considered. Oraw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

MAR 0 8 2004

APR 1 6 2004 FORM PTO-14 TRADEN U.S. Department of Commerce Attorney Docket No.: UM-06669 Serial No.: 10/002,802 Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) Applicant: Michael D. Uhler 452 Filing Date: 11/02/2001 Group Art Unit: (37 CFR § 1.98(b)) U.S. PATENT DOCUMENTS Examiner Serial / Patent Cite Issue Date Applicant / Patentee Class Subclass Filing Date Initials Number No. 6,544,790 04/08/03 Sabatini. 435 09/18/00 455 6/21/04 Examiner: Date Considered: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. EXAMINER: